



PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)			Complete If Known		
			Application Number	10/767,561	
			Filing Date	January 28, 2004	
			First Named Inventor	Freeman, Gordon J.	
			Art Unit	1636 — 1644	
			Examiner Name	Q. Nguyen — GAMBEL	
Sheet	1	of	3	Attorney Docket Number	RPI-008CPDV2

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
Q	A1	5,116,964	05-26-92	Capon, et al.	
	A2	5,434,131	07-18-95	Linsley, et al.	

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
		Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)				
	A3	WO 93/00431	01-07-1993	Bristol Myers Squibb Co.		
	A4	WO 95/03408	02-02-1995	Dana Farber Cancer Institute		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language translation is attached.

NON PATENT LITERATURE DOCUMENTS							
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.				T ²	
Q	A5	Baskar, S. et al. (1993) "Constitutive Expression of B7 Restores Immunogenicity of Tumor Cells Expressing Truncated Major Histocompatibility Complex Class II Molecules" <i>Proc. Natl. Acad. Sci. USA</i> 90:5687-5690;					
	A6	Baskar, S., et al., "Major Histocompatibility Complex Class II ⁺ B7-1 ⁺ Tumor Cells are Potent Vaccines for Stimulating Tumor Rejection in Tumor-bearing Mice," <i>J. Exp. Med.</i> , vol. 181, 619-629 (1995);					
	A7	Bateman, W.J. et al. (1991) "Inducibility of Class II Major Histocompatibility Complex Antigens by Interferon γ Is Associated with Reduced Tumorigenicity in C3H Mouse Fibroblasts Transformed by v-Ki-ras" <i>J. Exp. Med.</i> 173:193-196;					
	A8	Boussiotis, V., et al., "Activated Human B Lymphocytes Express Three CTLA-4 Counterreceptors That Costimulate T-cell Activation," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 90, 11059-11063 (1993);					
	A9	Cavallo, F., et al., "Co-expression of B7-1 and ICAM-1 on Tumors Is Required for Rejection and the Establishment of a Memory Response," <i>Eur. J. Immunol.</i> vol. 25, 1154-1162 (1995);					
	A10	Chen, L. et al. (1992) "Costimulation of Antitumor Immunity by the B7 Counterreceptor For the T Lymphocyte Molecules CD28 and CTLA-4" <i>Cell</i> 71:1093-1102;					
	A11	Clements, V.K. et al. (1992) "Invariant Chain Alters The Malignant Phenotype of MHC Class II ⁺ Tumor Cells" <i>J. of Immunology</i> 149:2391-2396;					
	A12	Cole, G.A. et al. (1991) "Rejection of Allogeneic Tumor Is Not Determined by Host Responses to MHC Class I Molecules and is Mediated By CD4 ⁺ CD8 ⁺ T Lymphocytes That Are Not Lytic for the Tumor" <i>Cellular Immunology</i> 134:480-490;					
	A13	Fearon, E.R. et al. (1990) "Interleukin-2 Production By Tumor Cells Bypasses T Helper Function in the Generation of An Antitumor Response" <i>Cell</i> 60:397-403;					
	Examiner Signature	Philip Gambel 2/1/04			Date Considered		



Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Complete if Known	
		Application Number	10/767,561
		Filing Date	January 28, 2004
		First Named Inventor	Freeman, Gordon J.
		Art Unit	4636 — 1644
Examiner Name	G. Nguyen — GAMBEL		
Attorney Docket Number	RPI-008CPDV2		
Sheet	2	of	3

PG 1	B1	Freeman, G.J. et al. (1991) "Structure, Expression, and T Cell Costimulatory Activity of the Murine Homologue of the Human B Lymphocyte Activation Antigen B7" <i>J. Exp. Med.</i> 174:625-631;	
	B2	Freeman, G., et al., "Cloning of B7-2: A CTLA-4 Counter-Receptor that Costimulates Human T Cell Proliferation," <i>Science</i> , vol. 262, 909-911 (1993);	
	B3	Freeman, A.S. et al. (1987) "B7, A B Cell-Restricted Antigen That Identifies Preactivated B Cells" <i>J. Immunology</i> 139:3260-3267;	
	B4	Freeman, G.J. (1989) "B7, A New Member of the Ig Superfamily With Unique Expression on Activated And Neoplastic B Cells" <i>J. Immunology</i> 143:2714-2722;	
	B5	Galvin, F. et al. (1992) "Murine B7 Antigen Provides A Sufficient Costimulatory Signal For Antigen-Specific and MHC-Restricted T Cell Activation" <i>J. Immunology</i> 149:3802-3808;	
	B6	Gimmi, C.D. et al. (1993) "Human T-Cell Clonal Anergy is Induced by Antigen Presentation in the Absence of B7 Costimulation" <i>Proc. Natl. Acad. Sci. USA</i> 90:6586-6590;	
	B7	Gimmi, C.D. et al. (1991) "B-Cell Surface Antigen B7 Provides A Costimulatory Signal That Induces T Cells To Proliferate and Secrete Interleukin 2" <i>Proc. Natl. Acad. Sci. USA</i> 88:6575-6579;	
	B8	Harding, F.A. et al. (1993) "CD28-B7 Interactions Allow the Induction of CD8 ⁺ Cytotoxic T Lymphocytes in the Absence of Exogenous Help" <i>J. Exp. Med.</i> 177:1791-1796;	
	B9	Harding, F.A. et al. (1992) "CD28-Mediated Signalling Co-Stimulates Murine T Cells and Prevents Induction of Anergy in T-Cell Clones" <i>Nature</i> 356:607-609;	
	B10	James, R.F.L. (1991) "The Effect of Class II Gene Transfection on the Tumorigenicity of the H-2K-Negative Mouse Leukaemia Cell Line K36.16" <i>Immunology</i> 172:213-218;	
	B11	Lenschow, D., et al., "Expression and Functional Significance of an Additional Ligand for CTLA-4," <i>Proc. Natl. Acad. Sci. USA</i> , vol. 90, 11054-11058 (1993);	
	B12	Linsley, P.S. et al. (1991) "Binding of the B Cell Activation Antigen B7 to CD28 Costimulates T Cell Proliferation and Interleukin 2 mRNA Accumulation" <i>J. Exp. Med.</i> 173:721-730;	
	B13	Nabavi, N. et al. (1992) "Signalling Through the MHC Class II Cytoplasmic Domain is Required For Antigen Presentation and Induces B7 Expression" <i>Nature</i> 360:266-268;	
	B14	Ostrand-Rosenberg, S. et al (1993) "Costimulation Through Murine B7 Molecule Restores Immunogenicity of Autologous Tumor Cells Expressing Truncated MHC Class II Molecules" <i>J. Cell Biochem Supplement</i> (Abstract HZ 228) p. 71;	
	B15	Ostrand-Rosenberg, S. et al. (1990) "Rejection Of Mouse Sarcoma Cells After Transfection of MHC Class II Genes" <i>J. Immunology</i> 144:4068-4071;	
	B16	Ostrand-Rosenberg, S. et al. (1991) "Abrogation of Tumorigenicity By MHC Class II Antigen Expression Requires The Cytoplasmic Domain of the Class II Molecule" <i>J. Immunology</i> 147:2419-2422;	
	B17	Ramarathinam, L., et al., "T Cell Costimulation by B7/BB1 Induces CD8 T Cell-dependent Tumor Rejection: An Important Role of B7/BB1 in the Induction, Recruitment, and Effector Function of Antitumor T Cells," <i>J. Exp. Med.</i> , vol. 179, 1205-1214 (1994);	
	B18	Reiser, H. et al. (1992) "Murine B7 Antigen Provides an Efficient Costimulatory Signal For Activation of Murine T Lymphocytes Via the T-Cell Receptor/CD3 Complex" <i>Proc. Natl. Acad. Sci. USA</i> 89:271-275;	
	B19	Shahinian, A., et al., "Differential T Cell Costimulatory Requirements in CD28-Deficient Mice," <i>Science</i> , vol. 261 609-612 (1993);	
	B20	Schultz, K.R. et al. (1990) "The Role of B Cells for In Vivo T Cell Responses to A Friend Virus-Induced Leukemia" <i>Science</i> 249:921-923.	
	B21	Schwartz, R., "A Cell Culture Model for T Lymphocyte Clonal Anergy," <i>Science</i> , vol. 248, 1349-1356 (1990);	
Examiner Signature		Date Considered	

PHILIP GAMBEL 4/10/07

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO		Complete if Known			
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Application Number	10/767,561		
		Filing Date	January 28, 2004		
		First Named Inventor	Freeman, Gordon J.		
		Art Unit	1630-1644		
		Examiner Name	Q. Nguyen GAMBEL		
Sheet	3	of	3	Attorney Docket Number	RPI-008CPDV2

Mo	C1	Tan, P. et al. (1993) "Induction of Alloantigen-Specific Hyporesponsiveness in Human T Lymphocytes by Blocking Interaction of CD28 with Its Natural Ligand B7/BB1" <i>J. Exp. Med.</i> 177:165-173;	
	C2	Thompson, C.B. et al. (1989) "CD28 Activation Pathway Regulates the Production of Multiple T-Cell-Derived Lymphokines/Cytokines" <i>Proc. Natl. Acad. Sci USA</i> 86:1333-1337;	
	C3	Townsend, S.E. et al. (1993) "Expression of the T Cell Costimulatory Ligand B7 By A Melanoma Induces Rejection Mediated By Direct Activation of CD8+ T Cells" <i>J. Cell Biochem. Supplement</i> (Abstract NZ 627) p. 136;	
	C4	Townsend, S. and Allison, J., "Tumor Rejection After Direct Costimulation of CD8+ T Cells by B7-Transfected Melanoma Cells," <i>Science</i> , vol. 259, 368-370 (1993);	
	C5	Townsend, S., et al., "Specificity and Longevity of Antitumor Immune Responses Induced by B7-transfected Tumors," <i>Cancer Research</i> , vol. 54, 6477-6483 (1994);	
	C6	Travis, J. (1993) "A Stimulating New Approach to Cancer Treatment" <i>Science</i> 259:310-311;	
	C7	van Der Bruggen, P. et al. (1991) "A Gene Encoding An Antigen Recognized By Cytolytic T Lymphocytes On A Human Melanoma" <i>Science</i> 254:1643-1647;	
Mo	C8	Yang, G., et al., "Antitumor Immunity Elicited by Tumor Cells Transfected with B7-2, a Second Ligand for CD28/CTLA-4 Costimulatory Molecules," <i>The Journal of Immunology</i> , 2794-2800 (1995).	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

Examiner Signature	<i>Phu GAMBEL 2/10/7</i>	Date Considered	
--------------------	--------------------------	-----------------	--